Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States—Yearly and monthly.

ARKANSAS—*Fort Smith.*—Month of October, 1903. Estimated population, 18,000. Total number of deaths, 13, including 1 from enteric fever.

CALIFORNIA—*Fresno.*—Month of October, 1903. Estimated population, 18,000. Total number of deaths 30, including diphtheria 1, enteric fever, 3, and 3 from tuberculosis.

Los Angeles.—Month of October, 1903. Estimated population, 135,000. Total number of deaths 197, including diphtheria 3, enteric fever 6, scarlet fever 1, and 35 from tuberculosis.

Oakland.—Month of October, 1903. Estimated population, 83,000. Total number of deaths, 87, including diphtheria 2, enteric fever 2, and 10 from tuberculosis.

Stockton.—Month of October, 1903. Estimated population, 18,000. Total number of deaths, 23, including enteric fever 1, whooping cough 1, and 2 from tuberculosis.

COLORADO—*Denver.*—Month of September, 1903. Estimated population, 175,000. Total number of deaths, 245, including diphtheria 3, enteric fever 13, scarlet fever 5, whooping cough 1, and 60 from tuberculosis.

ILLINOIS—*Peoria.*—Month of October, 1903. Census population, 56,100. Total number of deaths, 67, including diphtheria 4, and 4 from tuberculosis.

Rockford.—Month of October, 1903. Estimated population, 40,000. Total number of deaths, 39, including diphtheria 1, scarlet fever 1, whooping cough 1, and 4 from tuberculosis.

INDIANA—*Evansville.*—Month of October, 1903. Estimated population, 70,000. Total number of deaths, 66, including diphtheria 2, enteric fever 3, scarlet fever 1, and 12 from tuberculosis.

LOUISIANA—*New Orleans.*—Month of October, 1903. Estimated population, 310,000—white, 227,000; colored, 83,000. Total number of deaths, 503—white, 301; colored, 202—including diphtheria 3, enteric fever 8, whooping cough 2, and 85 from tuberculosis.

MARYLAND—*Baltimore.*—Month of October, 1903. Estimated population, 533,000—white, 451,000; colored, 82,000. Total number of deaths, 776—white, 572; colored, 204—including diphtheria 22, enteric fever 20, scarlet fever 9, whooping cough 6, and 98 from tuberculosis.

MASSACHUSETTS—*Brockton.*—Month of October, 1903. Estimated population, 44,873. Total number of deaths, 39, including diphtheria 1, enteric fever 1, and 4 from tuberculosis.

Worcester.—Month of September, 1903. Estimated population, 124,331. Total number of deaths, 178, including diphtheria 1, enteric fever 3, scarlet fever 1, whooping cough 1, and 18 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 7, from 74 observers indicate that influenza, inflammation of kidney, pneumonia, erysipelas, smallpox, and measles were more prevalent, and diarrhea, enteric fever, phthisis pulmonalis, scarlet fever, inflammation of bowels, dysentery, whooping cough, and meningitis were less prevalent than in the preceding week. Meningitis was reported present at 8, whooping cough at 8, measles at 15, smallpox at 26, diphtheria at 45, scarlet fever at 61, enteric fever at 115, and phthisis pulmonalis at 186 places.

NEW HAMPSHIRE—*Manchester.*—Month of October, 1903. Census population, 56,987. Total number of deaths 90, including diphtheria 2 and 1 from tuberculosis.

NEW YORK—*Buffalo.*—Month of October, 1903. Estimated population, 380,000. Total number of deaths 442, including diphtheria 10, enteric fever 12, measles 1, scarlet fever 3, whooping cough 1, and 29 from tuberculosis.

Saratoga Springs.—Month of October, 1903. Estimated population, 12,117. Total number of deaths 20, including 1 from tuberculosis.

PENNSYLVANIA—*Dunmore.*—Month of October, 1903. Estimated population, 15,000. Total number of deaths 8; no deaths from contagious diseases.

RHODE ISLAND—*Newport.*—Month of October, 1903. Estimated population, 23,000. Total number of deaths 29, including enteric fever 1, and 3 from tuberculosis.

TENNESSEE—*Nashville.*—Month of October, 1903. Estimated population, 81,803—white, 51,387; colored, 30,416. Total number of deaths, 137—white, 72; colored, 65—including diphtheria 2, enteric fever 3, scarlet fever 2, and 22 from tuberculosis.

UTAH—*Ogden.*—Month of October, 1903. Estimated population, 25,000. Total number of deaths, 24, including 1 from enteric fever.

Report of immigration at Baltimore, Md.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Baltimore, Md., November 14, 1903.

Number of alien immigrants who arrived at this port during the week ended November 14, 1903; also names of vessels and ports from which they came.

Date of arrival.	Name of vessel.	Where from.	Number of immigrants.
Nov. 8	Ulstermore	Liverpool	2
11	Salvatore di Georgio	Kingston	5
13	Brandenburg	Bremen	1,655
	Total		1,662

LOUIS T. WEIS, *Commissioner.*